

Model: ECB-48SX



STANDARD FEATURES

- ■U-shape steel burner, each 7.5kW/hr
- To be controlled every 12" width
- 4" stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Large oil collector at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front, and galvanized sides and back
- 3/4" NPT rear gas connection
- Thermocouple and safety valves installed for double safety
- Available in 16", 24", 36"and 48" size
- Cast iron grate
- Manual control
- One year limited parts and labor warranty

INSTALLATION INSTRUCTIONS


- 1. A gas pressure regulator must be installed.
- 2. An adequate ventilation system is required for commercial cooking equipment.
- 3. This appliance is intended for commercial installation only and is not intended for home use.
- 4. Equipment clearance requirement:

Non-Combustibles Combustibles
Sides 0" Sides 4"

Back 0" Back 4"


- 5. All the installation must be performed by qualified technicians.
- 6. It is not suggested to convert to another type of gas in field. Please specify gas type when ordering.

INSTALLATION DRAWING




Model	Description	Gas Type	Total kW/HR	Packing Size ₍ mm ₎	N/W (KG)	G/W (KG)
ECB-24SX	Gas 24" charbroiler (2 burners)	G20,G25,G25.3	15	760 x 780 x 500	54	70
		G30,G31	12			

INSTALLATION DRAWING



Model	Description	Gas Type	Total kW/HR	Packing Size ₍ mm ₎	N/W (KG)	G/W (KG)
ECB-36SX	Gas 36" charbroiler (3 burners)	G20,G25,G25.3	22.5	980 x 780 x 500	74	89
		G30,G31	18			

INSTALLATION DRAWING



Model	Description	Gas Type	Total kW/HR	Packing Size ₍ mm ₎	N/W (KG)	G/W (KG)
1ECD-483X	Gas 48" charbroiler (4 burners)	G20,G25,G25.3	30	1280 x 780 x 500	135	170
		G30,G31	24			